



Environment and Natural Resources Trust Fund (ENRTF) M.L. 2016 Work Plan

Date of Report: December 4, 2015

Date of Next Status Update Report: January 30, 2017

Date of Work Plan Approval:

Project Completion Date: June 30, 2019

Does this submission include an amendment request? No

PROJECT TITLE: Membrane-Based Process for Decentralized Drinking Water Production

Project Manager: Santiago Romero-Vargas Castrillón, Ph. D.

Organization: University of Minnesota, Department of Civil, Environmental, and Geo- Engineering

Mailing Address: 500 Pillsbury Dr. SE

City/State/Zip Code: Minneapolis, MN, 55455

Telephone Number: (612) 301-1347

Email Address: sromerov@umn.edu

Web Address: www.cege.umn.edu

Location: Statewide

Total ENRTF Project Budget:	ENRTF Appropriation:	\$191,000
	Amount Spent:	\$0
	Balance:	\$191,000

Legal Citation: M.L. 2016, Chp. xx, Sec. xx, Subd. xx

Appropriation Language: "\$191,000 the second year is from the trust fund to the Board of Regents of the University of Minnesota to develop a low-energy use, membrane-based treatment technology to produce drinking water locally from surface waters by removing heavy metals and contaminants of emerging concern, including pesticides and pharmaceuticals. This appropriation is subject to Minnesota Statutes, section 116P.10. This appropriation is available until June 30, 2019, by which time the project must be completed and final products delivered."

I. PROJECT TITLE: Membrane-based Process for Decentralized Drinking Water Production

II. PROJECT STATEMENT: Water pollution and water scarcity are two of the central problems of our time, even in regions such as Minnesota and the Upper Midwest, rich in water resources. Ensuring that sufficient water supplies are available to meet human and ecological needs will demand sustainable water management, and novel technologies to treat water bodies impacted by contamination. In Minnesota, our ground and surface waters (i.e., rivers and lakes) exhibit increasing levels of contaminants such as heavy metals, pharmaceuticals, hormones, and personal care products, which are removed to an insufficient extent by conventional water treatment processes. There is thus a clear need to develop water treatment processes that minimize the potential for human exposure to these emerging contaminants. The objective of the proposed work is to develop a membrane-based water treatment process capable of producing potable water from untreated surface, well or ground water impacted by contaminants of emerging concern. The concept proposed combines two emerging membrane processes, forward osmosis (FO) and membrane distillation (MD), which can leverage solar thermal energy, geothermal energy, or industrial waste heat as energy sources. Therefore, the proposed process has the potential to be less energy intensive than reverse osmosis (RO) water treatment processes, while exhibiting comparable, if not higher, contaminant removal. Moreover, given that both FO and MD operate at around ambient pressures, the hybrid FO-MD process proposed will also show lower capital costs compared to RO; lower capital costs make the proposed technology an attractive option for decentralized water treatment in virtually any small community in Minnesota. The proposed effort is structured along the following objectives:

- Development of membrane distillation and forward osmosis membrane materials exhibiting high flux (>12 gal ft^{-2} day $^{-1}$) and high removal ($>90\%$) of contaminants commonly found in Minnesota surface and groundwater.
- Proof of concept demonstration of a hybrid FO-MD pilot-scale unit to produce drinking water from untreated surface or groundwater. The process developed will be scalable and its MD stage will operate at temperatures $< 80^\circ \text{C}$ ($< 176^\circ \text{F}$), such that low-grade heat may be used as the main energy supply for the process.

III. OVERALL PROJECT STATUS UPDATES:

Project Status as of January 30, 2017:

Project Status as of June 30 2017:

Project Status as of January 30, 2018:

Project Status as of June 30 2018:

Project Status as of January 30 2019:

Overall Project Outcomes and Results:

IV. PROJECT ACTIVITIES AND OUTCOMES:

ACTIVITY 1: Development of membrane materials for filtration by forward osmosis and membrane distillation

Forward osmosis is an emerging membrane process in which permeation is driven by osmotic pressure, i.e., the tendency of water to migrate across a selective membrane from a low-salinity solution to one of higher salinity. In the first stage of the proposed process, FO will be used to extract water from untreated surface waters into a synthetic salt solution known as draw solution. To achieve this goal, we will develop aromatic polyamide forward osmosis (FO) membranes. The FO membranes will be prepared by molecular layer-by-layer (mLBL) deposition,

which will allow us to optimize the permeate water flux and the efficiency with which the membranes reject organic contaminants and heavy metals. The mLbL technique will also allow us to control the surface chemistry of the membrane, thereby enabling chemical modification with fouling-resistant coatings. Surface modification is essential to prevent membrane fouling (i.e., clogging) with natural organic matter and other compounds abundant in surface and ground waters.

The second stage of the proposed process leverages membrane distillation to separate purified water from the draw solution. In MD, thermal energy is supplied to the draw solution in order to drive pure water vapor across a microporous hydrophobic membrane. Because temperatures around 60-80 °C suffice to drive permeation, low grade heat from solar, geothermal, or industrial sources can be used as energy supply for the separation process.

The FO and MD membrane materials will be characterized in terms of their water transport properties and solute rejection (using heavy metals such as Cd, and small organic molecules as model contaminants of emerging concern) using RO, FO and MD experimental setups. After optimization of the membrane materials with respect to water permeability, salt rejection, and fouling resistance, we will construct a lab-scale apparatus (membrane area approximately 20 cm²) to provide a proof-of-concept demonstration of a hybrid FO-MD water treatment process. The lab-scale prototype will be evaluated with a “synthetic” feed water with a composition representative of river and lake waters, as well as with feed waters sampled from the Mississippi River, Upper Red Lake, and Lake Superior.

Summary Budget Information for Activity 1:

ENRTF Budget: \$ 106,936
Amount Spent: \$ 0
Balance: \$ 106,936

Outcome	Completion Date
1. Personnel training and construction of lab-scale FO, RO and MD filtration setups	December 31, 2016
2. Initial FO membranes prepared by mLbL deposition	June 30, 2017
3. Initial MD membranes fabricated by phase inversion	June 30, 2017
4. Characterization and optimization of FO and MD membrane transport and selectivity properties	October 31, 2017
5. Characterization of FO and MD membrane fouling resistance	December 31, 2017
6. Proof-of-concept demonstration of a lab-scale hybrid FO-MD process, operating at < 80 °C, water flux of 20 L m ⁻² h ⁻¹ (12 gal ft ⁻² day ⁻¹), and showing >90% rejection of contaminants.	April 30, 2018

Activity Status as of January 30, 2017:

Activity Status as of June 30, 2017:

Activity Status as of January 30, 2018:

Activity Status as of June 30, 2018:

Activity Status as of January 30, 2019:

Project Outcomes and Results:

Final Report Summary:

Activity 2: Development of a pilot-scale hybrid FO-MD water purification process. The prototype developed in Activity 1 will be scaled up to a membrane area of 150 cm² (0.16 ft²). The performance metrics that will be

considered to assess the success of the pilot-scale unit are a production rate of 2 gal/day with < 10% flux decrease due to fouling over 24 hours of operation, and >90% removal of organic contaminants and heavy metals. In addition, the MD stage of the pilot will operate at temperatures < 80 °C. Experiments will be conducted with feed waters collected from the Mississippi River, Upper Red Lake, and Lake Superior.

Summary Budget Information for Activity 2:

ENRTF Budget: \$ 84,064

Amount Spent: \$ 0

Balance: \$ 84,064

Outcome	Completion Date
1. Pilot-scale construction	April 30, 2018
2. Initial characterization of water flux and contaminant rejection in pilot-scale unit	December 31, 2018
3. Demonstration of pilot-scale unit showing >90% contaminant rejection at temperatures < 80 °C	June 30, 2019

Activity Status as of January 30, 2017:

Activity Status as of June 30, 2017:

Activity Status as of January 30, 2018:

Activity Status as of June 30, 2018:

Activity Status as of January 30, 2019:

Project Outcomes and Results:

Final Report Summary:

V. DISSEMINATION:

Description: Results will be disseminated via publication in peer-reviewed journals such as The Journal of Membrane Science, Water Research, and Environmental Science & Technology. Results will also be communicated through oral and poster presentations at local, regional and national conferences on water technology.

Status as of January 30, 2017:

Status as of June 30 2017:

Status as of January 30, 2018:

Status as of June 30 2018:

Status as of January 30 2019:

Final Report Summary:

VI. PROJECT BUDGET SUMMARY:

A. ENRTF Budget Overview:

Budget Category	\$ Amount	Overview Explanation
Personnel:	\$ 87,395	Graduate research assistant (50% time per year for two years, salary 57% of cost, tuition 33% of cost, fringe benefits 10% of cost)
Professional/Technical/Service Contracts:	\$N/A	
Equipment/Tools/Supplies:	\$21,264	Laboratory equipment and supplies (\$21,264) including, but not limited to: chemicals for membrane fabrication and characterization (polysulfone, poly(ether sulfone), poly(vinyl pyrrolidone) and poly(vinylidene fluoride), polyethylene glycol, dopamine hydrochloride, Tris HCl buffer, ethylenediamine, m-phenylene diamine, trimesoyl chloride, n-hydroxysuccinimide, EDC carbodiimide), alginate, bovine serum albumin, Suwanee River natural organic matter, organic solvents for membrane fabrication (dimethylformamide, n-methyl-pyrrolidinone, acetone, ethanol, isopropanol, iso-par-g, hexane), membrane casting equipment (casting blade, non-woven fabric, glass plates), supplies for membrane characterization (microscopy sample holders and cantilevers for force spectroscopy), characterization facility user fees (for use of analytical instrumentation in the Characterization Facility at UMN).
Capital Expenditures over \$5,000:	\$81,341	Spin coater for membrane fabrication (\$8,000), lab-scale forward osmosis (FO) apparatus (\$15,000), lab-scale membrane distillation (MD) apparatus (\$15,000), lab-scale reverse osmosis (RO) apparatus (\$15,041), pilot-scale hybrid FO-MD unit (\$28,300).
Travel Expenses in MN:	\$ 1,000	Travel in Minnesota for surface water collection such as Lake Superior and Upper Red Lake. Mileage will be reimbursed at \$0.55 per mile or current UMN compensation plan.
TOTAL ENRTF BUDGET:	\$ 191,000	

Explanation of Use of Classified Staff: N/A

Explanation of Capital Expenditures Greater Than \$5,000:

Spin coater for forward osmosis membrane fabrication (\$8,000): a spin coater is necessary for the fabrication of forward osmosis membranes using the molecular layer-by-layer deposition technique.

Lab-scale forward osmosis (FO, \$15,000), membrane distillation (MD, \$15,000) and reverse osmosis (RO, \$15,041) units: one lab-scale FO and one lab-scale MD unit are required to characterize the water transport properties (i.e., water permeability) of the FO and MD membrane materials developed in activity 1, as well as

the fouling resistance of the materials. A RO lab-scale unit is needed to determine the solute permeability coefficient of the membranes developed in activity 1. Components for the construction of 1 lab-scale forward osmosis and 1 membrane distillation system: Gear pumps, heads and water heater/chiller (8 pumps, 2 heaters/chillers, total: \$17,000), custom-made flow cells for forward osmosis and membrane distillation (2 cells, total: \$2,000), unit instrumentation (2 computers, 2 conductivity meters, 4 stirring plates, 8 flowmeters, valves, fittings, water reservoirs, total: \$11,000). Components for the RO setup: high pressure pump (\$10,641), filtration cell (\$1,000), valves, tubing, fittings, flowmeters (\$3400).

Fabrication of a pilot-scale FO-MD water purification system as part of activity 2 (\$28,300): filtration cells (2 @ \$2500 each), 1 heater unit (\$4300), 1 chiller (\$3000), 4 gear pumps and 4 pump drives (\$6,000), tubing, valves, instrumentation (\$10,000).

Number of Full-time Equivalents (FTE) Directly Funded with this ENRTF Appropriation: A full-time graduate student researcher will be employed with this appropriation for 2 years (for 2 FTE over the entire 3-year project period). This results in a total of 2 FTE for the total project.

Number of Full-time Equivalents (FTE) Estimated to Be Funded through Contracts with this ENRTF Appropriation: N/A

B. Other Funds:

Source of Funds	\$ Amount Proposed	\$ Amount Spent	Use of Other Funds
Non-state			
N/A	N/A	N/A	N/A
State	N/A	N/A	N/A
	\$	\$	
TOTAL OTHER FUNDS:	\$N/A	\$N/A	

VII. PROJECT STRATEGY:

A. Project Partners:

The project manager will be Professor Santiago Romero-Vargas Castrillón (U. of Minnesota), who will supervise a graduate student in the execution of the proposed work. Romero-Vargas has expertise in the development, characterization, and testing of membrane materials for water purification, and membrane-based processes for water production.

B. Project Impact and Long-Term Strategy:

The proposed work will result in membrane materials and low-energy processes for the removal of heavy metals and organic contaminants of emerging concern from untreated surface waters in Minnesota. We expect this project to lead to further applications in municipal wastewater treatment (e.g., the direct, decentralized treatment of sewage) and, also, to patentable technology.

C. Funding History:

Funding Source and Use of Funds	Funding Timeframe	\$ Amount
United States Geological Survey. Project title: "Improving the (Bio)fouling and Mechanical Resistance of Ultrafiltration Membranes for Drinking Water Production". The project proposed in this work plan partially builds on results and expertise developed during the USGS-sponsored project.	3/1/2015 – 2/28/2016	\$ 30,000
Matching funds from UMN for the abovementioned USGS project.	3/1/2015 – 2/28/2016	\$60,000

VIII. FEE TITLE ACQUISITION/CONSERVATION EASEMENT/RESTORATION REQUIREMENTS:

A. Parcel List: N/A

B. Acquisition/Restoration Information: N/A

IX. VISUAL COMPONENT or MAP(S):

See attached.

X. RESEARCH ADDENDUM:

See attached.

XI. REPORTING REQUIREMENTS:

Periodic work plan status update reports will be submitted no later than January 30, 2017, June 30, 2017, January 30, 2018, June 30, 2018, January 30, 2019. A final report and associated products will be submitted between June 30 and August 15, 2019.

Environment and Natural Resources Trust Fund
M.L. 2016 Project Budget



Project Title: Membrane-Based Process for Decentralized Drinking Water Production (043-B)

Legal Citation:

Project Manager: Santiago Romero-Vargas Castrillón

Organization: University of Minnesota - Twin Cities

M.L. 2016 ENRTF Appropriation: \$191,000

Project Length and Completion Date: 3 years, June 30, 2019

Date of Report: January 30, 2017

ENVIRONMENT AND NATURAL RESOURCES TRUST FUND BUDGET	Activity 1 Budget	Amount Spent	Activity 1 Balance	Activity 2 Budget	Amount Spent	Activity 2 Balance	TOTAL BUDGET	TOTAL BALANCE
BUDGET ITEM	<i>Materials Development and Characterization</i>			<i>Development of a Forward Osmosis-Membrane Distillation Pilot Scale Unit</i>				
Personnel (Wages and Benefits)								
Graduate research assistant (50% time per year for two years, salary 57% of cost, tuition 33% of cost, fringe benefits 10% of cost)	\$43,263	\$0	\$43,263	\$44,132	\$0	\$44,132	\$87,395	\$87,395
Professional/Technical/Service Contracts								
Equipment/Tools/Supplies								
Laboratory equipment and supplies (\$21264) including, but not limited to: chemicals for membrane fabrication and characterization (polysulfone, poly(ether sulfone), poly(vinyl pyrrolidone) and poly(vinylidene fluoride), polyethylene glycol, dopamine hydrochloride, Tris HCl buffer, ethylenediamine, m-phenylene diamine, trimesoyl chloride, n-hydroxysuccinimide, EDC carbodiimide), alginate, bovine serum albumin, Suwanee River natural organic matter, organic solvents for membrane fabrication (dimethylformamide, n-methyl-pyrrolidinone, acetone, ethanol, isopropanol, iso-par-g, hexane), membrane casting equipment (casting blade, non-woven fabric, glass plates), supplies for membrane characterization (microscopy sample holders and cantilevers for force spectroscopy), characterization facility user fees (for use of analytical instrumentation in the Characterization Facility at UMN).	\$10,632	\$0	\$10,632	\$10,632	\$0	\$10,632	\$21,264	\$21,264
Capital Expenditures Over \$5,000								

Spin coater for forward osmosis membrane fabrication: a spin coater is necessary for the fabrication of membranes using the molecular layer-by-layer technique	\$8,000	\$0	\$8,000	\$0	\$0	\$0	\$8,000	\$8,000
Fabrication of one bench-scale forward osmosis experimental setup and one membrane distillation experimental setup: a bench-scale setup to be used for membrane characterization and fouling experiments during activity 1 of the project. Components for the construction of 1 lab-scale forward osmosis and 1 membrane distillation system: Gear pumps, heads and water heater/chiller (8 pumps, 2 heaters/chillers, total: \$17000), custom-made flow cells for forward osmosis and membrane distillation (2 cells, total: \$2000), unit instrumentation (2 computers, 2 conductivity meters, 4 stirring plates, 8 flowmeters, 8 3-way valves, 2 10-packs of fittings, 4 water reservoirs, total: \$11000).	\$30,000		\$30,000	\$0	\$0	\$0	\$30,000	\$30,000
Fabrication of a reverse osmosis experimental setup for the characterization of membranes: high pressure pump (\$10,641), filtration cell (\$1,000), valves, tubing, fittings, flowmeters (\$3400).	\$15,041	\$0	\$15,041	\$0	\$0	\$0	\$15,041	\$15,041
Fabrication of a pilot-scale FO-MD water purification system as part of activity 2: filtration cells (2 @ \$2500 each, 1 heater unit @ \$4300, 1 chiller @ \$3000, 4 gear pumps and 4 pump drives @ \$6,000, tubing, valves, instrumentation @ \$10,000)	\$0	\$0	\$0	\$28,300	\$0	\$28,300	\$28,300	\$28,300
Travel expenses in Minnesota								
Mileage and lodging. To collect water samples within Minnesota (Lake Superior, Upper Red Lake, Mississippi River). Mileage will be reimbursed @ \$0.55 per mile or current U of M compensation plan.	\$0	\$0	\$0	\$1,000	\$0	\$1,000	\$1,000	\$1,000
COLUMN TOTAL	\$106,936	\$0	\$106,936	\$84,064	\$0	\$84,064	\$191,000	\$191,000

Membrane-based process for decentralized drinking water production.

